MEYRA GmbH Meyra-Ring 2 32689 Kalletal Deutschland

Tel.: +49 57 33 922-0 Fax: +49 57 33 922-143

info@meyra.de www.meyra.de

MFYRA	GmhH .	Mevra-Ring	2.	D-32689	Kalletal

Adresse

Ihr Zeichen, Ihre Nachricht vom

Unser Zeichen

Durchwahl

Ihr Gesprächspartner Frank McDowell

Datum 27.07.2023

# **Urgent safety information**

### PM 2023/1

Dear Ladies and Gentlemen,

As part of our market observation, we were informed today by our supplier that safetyrelated errors can occur with the scissor lift of the iChair Sky.

- 1. The iCHAIR Sky may only be used when driving.
- 2. The seat unit must remain in the basic position.
- 3. This restriction remains until the technical. Pass product verification.

Please inform the user of the above product about this safety notice and explain the limited usability.

Please confirm that you have received this e-mail and that you have read and passed on the security-related information.

Affected wheelchair with FIN/SN:

AB:

Steuer-Nr.: 329/5744/2042

Ust-IdNr.: DE815455949

## **Actions you should take:**

- Inform your customers about the corrective action
- Feedback to Meyra, that your customers have been informed
- Requesting the required seat carriers from customer service
- Replacement of the affected seat carriers at your customer vehicles

#### Passing on the information described:

Please ensure, that all users of the affected products and other persons are informed about this urgent safety information. If you have given the products to third parties, please forward a copy of this information and inform our contact person given below. We would like to thank you in advance for your efforts.

If you have any further questions, Mr. Frank McDowell will be happy to answer by phone +49 (0) 57333 / 922-270 or by email at fmcdowell@meyragroup.com.

All of this information and attachments are also available in electronic form on our website at www.meyra.com/sicherheitshinweise-rueckrufe/

With best regards

#### Frank McDowell

Managing director

Appendix 1: Confirmation form